



**Elevated Display  
Allows The Operator  
to Easily Enter  
Parameters and  
Read Weight  
Requirements.**

**Extra Large  
Wheel Weight Tray**

**Heavy Duty  
Electric Switch  
(110 Volts)**



Elevated Display  
Allows The Operator  
to Easily Enter  
Parameters and  
Read Weight  
Requirements.



**This Unit Can be Programmed  
to Autostart When The  
Safety Hood is Lowered.**

**Extra Large  
Wheel Weight Tray**

**Easy Access  
Power Switch**

**Can Accommodate  
Wheel Sizes Up to 50"  
When Safety Hood  
Assembly is Removed.**



48"

140 lb. Weight  
Capacity

40"

52"

Elevated Display  
Allows The  
Operator to Enter  
Parameters and  
Read Numbers

Large Wheel  
Weight Tray

Easy Access  
Power Switch




36 mm  
Mainshaft

Original German  
Made Haweka  
Quicknut

52"

40"

65"



**Optional MC Kit  
Shown**

**The Optional MC Adapter Kit  
is Designed To Balance  
Wheels With a Center  
Hole Diameter From  
.551 inch (14mm) to  
.225 inch (31.75mm)**

**Size of Motorcycle  
Tire Shown:  
200/55-R18**



**Set of Four Cones**

**Pressure Cup With Rubber Protector**



**Wheel Width Calipers**

**Calibration Weight**

**Wheel Weight Pliers**

**Haweka Quicknut**

**Cones Included Will Accomodate  
Most Passenger Cars and Light Trucks.**



**1.50"-2.30"**



**2.11"-3.18"**



**2.80"-3.88"**



**3.69"-4.50"**

**THE ORIGINAL  
HAWEKA  
QUICKNUT**



**Expedites the mounting  
and demounting of the  
wheel assembly**

**Atlas and Coseng brand wheel balancers include the genuine Haweka quick release nut found on wheel balancers costing hundreds of dollars more. Greg Smith Equipment demands that our Asian partners use only the original Haweka brand fastening system.**

**All other Chinese manufacturers use a quick nut assembly that is a very poor imitation of the Haweka system. If you insist on top quality at a competitive price, then Greg Smith Equipment is the place to buy all your automotive equipment.**

**Metal Housing Covers**  
**State-of-the-art Power**  
**Supply Board**  
**Transformers And**  
**Braking**  
**Resistors**

**Power**  
**Switch**

**Ground**  
**Block**


**Offset**  
**Dimension**  
**Gauge**

**Wheel**  
**Positioning**  
**Sensor**

**Wheel Guard**  
**Mounting**  
**Assembly**

**Eurostyle Motor**  
**Compartment.**  
**Terminals Are**  
**Connected**  
**Inside Motor.**

**0.5 hp 110**  
**Volt Motor,**  
**Aluminum Housing**  
**With Bidirectional**  
**Fan And Cooling**  
**Fins**



Optional Coseng MC Kit



**OPTIONAL EQUIPMENT**

Optional MC-XLT Kit



**OPTIONAL EQUIPMENT**

Optional Coseng Universal Adapter



**OPTIONAL EQUIPMENT**